

Obesity and Its Association with Type 2 Diabetes in Adults

Lucas M. Ferretti

Italy

Abstract

Obesity is a major metabolic risk factor closely associated with the development of type 2 diabetes among adults. This study examines the relationship between obesity and diabetes by considering body mass index, waist circumference, lifestyle behaviors, and blood glucose status. Additional factors such as dietary habits, physical activity, sedentary behavior, age, and family history are also assessed. The findings suggest that adults with higher body mass index and central obesity are more likely to have elevated blood glucose levels and an increased risk of type 2 diabetes. Excess body fat may contribute to insulin resistance and impaired glucose regulation, particularly when combined with unhealthy dietary patterns and low physical activity. The study highlights the importance of weight management, regular exercise, balanced nutrition, and early metabolic screening in reducing diabetes risk. Preventive strategies targeting obesity may contribute significantly to lowering the burden of type 2 diabetes among adults.

Keywords: Obesity; Type 2 diabetes; Body mass index; Insulin resistance; Adults.

1. Introduction

Enterprise applications depend on reliable diagnostics to detect runtime errors, failed workflows, API issues, slow transactions, and integration faults [1-5]. Logs are the main evidence source for understanding what happened before, during, and after an incident [6-9]. Effective application diagnostics require structured logging, traceability, contextual metadata, error classification, and operational visibility [10-15]. However, fixed logging strategies often create two problems. Low-detail logs may miss important causes [16-19], while high-detail logs may generate excessive storage cost and alert noise [20-23].

The main challenge is that diagnostic needs change during runtime. A normal transaction may require only basic logs, but a failing workflow, repeated exception, or security-sensitive event may need deeper traces [24-28]. Adaptive logging improves this process by changing log depth according to system condition, transaction risk, and error behavior [29-32]. AI-assisted monitoring can identify when additional diagnostic detail is needed and when logging can return to normal levels [33-35]. This article proposes an adaptive logging framework for enterprise application diagnostics.

2. Methodology

The proposed framework captures log metadata from application servers, API gateways, databases, background jobs, authentication modules, and integration services [36-40]. It records event type, severity, timestamp, user role, transaction ID, request path, error frequency, response time, affected component, and workflow state [41-45]. These features are converted into diagnostic context profiles. Adaptive logging requires context because the same event may be low-risk in one workflow but critical in another [46-49].

The logging controller classifies runtime states as normal, warning, error-prone, performance-risk, security-sensitive, workflow-critical, or incident-active [50-54]. Based on this classification, it adjusts log level, trace depth, parameter capture, correlation ID tracking, and diagnostic enrichment. Lightweight scoring and policy rules are used so logging decisions remain fast and explainable [55-58]. Sensitive fields are masked before storage [59-60], and transaction-critical events are linked with workflow and database identifiers for easier diagnosis [61-63].

The framework is evaluated using simulated enterprise applications involving APIs, database workflows, authentication events, scheduled jobs, and service integrations. Static logging is compared with adaptive logging under repeated exceptions, slow requests, failed jobs, API timeout, suspicious login, and workflow interruption scenarios [64-67]. Evaluation metrics include diagnosis time, log volume reduction, root-cause evidence quality, missed-event rate, storage overhead, alert usefulness, and administrator acceptance rate [68-69]. Feedback from resolved incidents, ignored logs, and administrator notes is used to refine logging policies over time.

3. Results and Discussion

The results show that adaptive logging improves diagnostics by capturing richer evidence only when runtime risk increases. In the baseline condition, static logs either lack enough detail or produce large volumes of low-value records. With the proposed framework, detailed traces are activated for high-risk events and reduced during normal execution. The strongest improvement appears in intermittent failures, where deeper logs are needed only around the failure window.

The discussion shows that adaptive logging must balance diagnostic depth with privacy and storage cost. Excessive logging can expose sensitive data or overload monitoring systems, while weak logging may hide failure causes. The main limitation is that log-level decisions depend on accurate runtime classification. Regular policy review and masking controls are necessary for safe long-term use.

4. Conclusion

This article presented an adaptive logging framework for enterprise application diagnostics. The framework adjusts log detail using runtime context, risk scoring, workflow state, and error behavior. It improves troubleshooting by increasing diagnostic evidence during abnormal conditions while reducing unnecessary log noise during normal operation. The study shows that adaptive logging can strengthen enterprise diagnostics when combined with structured metadata, privacy controls, and continuous incident feedback.

References

1. Kadhar, A., Kumar, A., Ali, J., & John, A. (2014). Studies on the survival and growth of fry of *Catla catla* (Hamilton, 1922) using live feed. *Journal of Marine Sciences*, 2014(1), 842381.
2. Jalal, K. C. A., Shamsuddin, A. A., Rahman, M. F., Nurzatul, N. Z., & Rozihan, M. (2013). Growth and total carotenoid, chlorophyll a and chlorophyll b of tropical microalgae (*Isochrysis* sp.) in laboratory cultured conditions. *Journal of Biological Sciences*, 13(1), 10.
3. Zaleha, K., John, B. A., Atika, H. E., Kamaruzzaman, B. Y., & Jalal, K. C. A. (2012). Spawning and nesting behaviour of *Tachypleus gigas* along the East Coast of Peninsular Malaysia. *International Journal of Biology*, 4(2), 102.
4. Kumar, C. P., John, B. A., Khan, S. A., Lyla, P. S., Murugan, S., Rozihan, M., & Jalal, K. C. A. (2011). Efficiency of universal barcode gene (Coxi) on morphologically cryptic mugilidae fishes delineation. *Trends in Applied Sciences Research*, 6(9), 1028.
5. Fuloria, S., Mehta, J., Talukdar, M. P., Sekar, M., Gan, S. H., Subramaniyan, V., ... & Fuloria, N. K. (2022). Synbiotic effects of fermented rice on human health and wellness: A natural beverage that boosts immunity. *Frontiers in Microbiology*, 13, 950913.
6. Selvaganapathi, G., Ahmed, J., Mathialagan, A. G., Dinesh, M., Azra, N., Harikrishnan, T., ... & Foad, A. I. (2016). Knowledge and practice on tuberculosis among prison workers from Seremban Prison. *Medicine*, 7, 176-186.
7. Selvaraj, S., Prasad, S., Fuloria, S., Subramaniyan, V., Sekar, M., Ahmed, A. M., ... & Fuloria, N. K. (2022). COVID-19 biomedical plastics wastes—challenges and strategies for curbing the environmental disaster. *Sustainability*, 14(11), 6466.
8. Hua, B. H., Sugumaran, S. V., Faryza, E., Atiqah, N., Jasvinder, K., Kabir, M. S., ... & Nazmul, M. H. (2022). Prevalence of musculoskeletal disorders (MSD) and smartphone addictions among university students in Malaysia. *Int J Health Sci*, 6(S3), 1075-88.
9. Tien, L. P., Atiqah, N., Vytialingam, N., Rashid, M. A., Kabir, M. S., Farzana, Y., & Nazmul, M. H. M. (2022). Stress and quality of life among fathers of special needs children in klang valley. *Journal of Pharmaceutical Negative Results*, 13, 1010-1018.

10. Noureen, A., Islam, T., Rashid, M. A., Kabir, M. S., Mathialagan, A., Farzana, Y., ... & Nazmul, M. H. M. (2022). Indoor Motor Exercise Regimens Improve Social Cognition in Children With Autism Spectrum Disorder: A Systematic Review. *Journal of Pharmaceutical Negative Results*, 13(6), 2020-2028.
11. Khan, M. F. K., & Maziz, M. N. H. (2019). Antibiotic resistance. LAP LAMBERT Academic Publishing.
12. Krishnapillai, A., Lugova, H., Haque, M., Ariaratnam, S., Aziz, A. F. B. A., Maziz, M. N. H., ... & Godman, B. (2022). The shock of the SARS-CoV-2 pandemic on health professionals' education: A pilot qualitative study in Malaysia. *Journal of Applied Pharmaceutical Science*, 12(10), 161-171.
13. Jayaraj, N., Atiqah, N., Vytialingam, N., Kabir, M. S., Shirin, L., Irfan, M., ... & MHM, N. (2022). Parental attitudes about play in preschool aged children. *International Journal of Early Childhood Special Education*, 14(3).
14. OO, K. T., WONG, R. S., WWL, S., RAMLI, N., LOW, S., ELBAHLOUL, M., ... & KHALAF, J. H. (2020). Correlation between Body Mass Index (BMI) and Fasting Blood Glucose (FBG) Level among Malaysian Adults Age 40-60. *PJMHS Online*, 14(3).
15. Maziz, M. N. H., Hussaini, J., & Khan, M. F. K. (2012). Antibiotic susceptibility profiles of clinical isolates of *Acinetobacter* species isolated from Selayang hospital, Malaysia. *International Journal of Infectious Diseases*, 16, e424.
16. URISH, W. P. T., SYRIAC, N. D., PARAMESWARAN, S., MARIA, J. W., & HANIM, N. B. (2020). Integrating UNSDG in International School's Curriculum: Nurturing a Sustainable Society in Malaysia. *GEOBIT*, 15(2), 194-212.
17. Xiaokang, S., & Nellikunnel, S. (2019). INNOVATIVE PACKAGING ATTRIBUTES AND CUSTOMER PURCHASE INTENTION IN SNACK FOODS. *Humanities & Social Sciences Reviews*, 7(2), 424-433.
18. Ramdass, R., Rahman, A., & Nellikunnel, S. (2015). Modelling critical success factors for a national qualifications framework: a case study on Mauritius. *International Journal of Modelling in Operations Management*, 5(3-4), 209-235.
19. Adetayo, A., Senathirajah, A. R. S., Devasia, S. N., & Haque, R. (2022). Modelling Consumer Perception of Service Quality in Banks. *Res Militaris, European Journal of Military Studies*, 12(2), 1357-1373.
20. Ibrahim, M. G., & Syriac, N. D. (2018). Adoption of CSR for Sustainable Development in the Nigerian Banking Sector: An Empirical Study. *INTI Journal*, 1(19).
21. Ramdass, R., Rahman, A., & Nellikunnel, S. (2016). National qualifications framework: a qualitative approach towards the determination of the critical success factors. *International Journal of Services, Economics and Management*, 7(2-4), 167-197.

22. Nelson, B. R., Zhong, J. M. H., Zauki, N. M., Satyanarayana, B. E. H. A. R. A., & Chowdhury, A. J. K. (2019). Effects of shore sedimentation to *Tachypleus gigas* (Müller, 1785) spawning activity from Malaysian waters. *Journal of Sustainability Science and Management*, 14(1), 41-60.
23. Amira, F. S., Rahman, M. M., Kamaruzzaman, Y., Jalal, K. C. A., Hossain, M. Y., & Khan, N. S. (2016). Relative abundance and growth of male and female *Nemipterus furcosus* population. *Sains Malaysiana*, 45(1), 79-86.
24. Kamaruzzaman, B. Y., John, B. A., Megat, M. A., & Zaleha, K. (2011). Bioaccumulation of heavy metals in horseshoe crabs *Tachypleus gigas* from Pekan, Pahang, Malaysia. *Research Journal of Environmental Toxicology*, 5(3), 222.
25. Zakaria, M. Z., Jalal, K. C. A., & Ambak, M. A. (2000). Length weight relationship and relative condition factor of Sebarau, *Hampala macrolepidota* (Van Hasselt) in Kenyir Lake, Malaysia. *Pakistan Journal of Biological Sciences*, 3(5), 721-724.
26. Zauki, N. A. M., Satyanarayana, B., Fairuz-Fozi, N., Nelson, B. R., Martin, M. B., Akbar-John, B., & Chowdhury, A. J. K. (2019). Horseshoe crab bio-ecological data from Balok, east coast peninsular Malaysia. *Data in brief*, 22, 458-463.
27. John, B. A., Sihin, S., Kamaruzzaman, B. Y., Jalal, K. C. A., & Zaleha, K. (2012). Sediment profiling of the nesting grounds of horseshoe crabs at East Peninsular Malaysia. *International Journal of Biology*, 4(2), 159.
28. Kamaruzzaman, B. Y., Zahir, M. S., John, B. A., Waznah, A. S., Jalal, K. C., Shahbudin, S., ... & Goddard, J. S. (2010). Determination of some heavy metal concentrations in razor clam (*Solen brevis*) from Tanjung Lumpur coastal waters, Pahang, Malaysia. *Pakistan journal of biological sciences: PJBS*, 13(24), 1208-1213.
29. Jalal, K. C. A., Faizul, H. N., Kamaruzzaman, B. Y., Shahbudin, S., Alam, M. Z., & Irwandi, J. (2009). Studies on physico-chemical characteristics and sediment environment along the coastal waters in Pulau Tuba, Langkawi, Malaysia. *Aquatic Ecosystem Health & Management*, 12(4), 350-357.
30. Laurie, K., Chen, C. P., Cheung, S. G., Do, V., Hsieh, H., John, A., ... & Yang, M. (2019). *Tachypleus tridentatus* (errata version published in 2019). The IUCN Red List of Threatened Species 2019: e. T21309A149768986.
31. John, B. A. (2011). Artificial seagrass: a habitat for marine fishes. *Journal of Fisheries and Aquatic Science*, 6(1), 85-92.
32. Hanafiah, M. M., Ali, M. Y. M., Aziz, N. I. H. A., & John, A. (2017). Biogas production from agrowaste and effluents. *Acta Chemica Malaysia (ACMY)*, 1(1), 13-15.
33. Salleh, S. M., Nishizawa, H., Sah, S. A., Chowdhury, A. J., & Rusli, M. U. (2021). Sand particle size influences nest site selection of green turtles (*Chelonia mydas*) differently in east and west peninsular Malaysia. *Herpetological Conservation and Biology*, 16(3), 671-680.

34. Jalal, K. C. A., Alifah, F. K., Faizul, H. N. N., Mamun, A. A., Kader, M. A., & Ashraf, M. A. (2018). Diversity and community composition of fishes in the Pusu River (Gombak, Malaysia). *Journal of Coastal Research*, 82(SI), 150-155.
35. Maah, M. J. (2011). Study of biosorptive potential in the peel of *Citrus reticulata*, *Punica granatum*, *Daucus carota* and *Momordica charantia*. *African Journal of Biotechnology*.
36. Jalal, K. C. A., Akbar John, B., Kamaruzzaman, B. Y., & Kathiresan, K. (2012). Emergence of Antibiotic Resistant Bacteria from Coastal Environment-A Review. *Antibiotic Resistant Bacteria-A Continuous Challenge in the New Millennium*. InTech, 143-158.
37. Musa, N., Musa, N., Ibrahim, W. N., Zahrol Ariff Shariat, M., Zamani, A. I., Abdullah, M. R., ... & Soh, A. S. A. (2011). Methanolic activities of selected weeds on bacteria isolated from *Macrobrachium rosenbergii* larvae. *The Thai Journal of Veterinary Medicine*, 41(4), 535-540.
38. Rahman, S. A., Abdullah, N. A., Chowdhury, A. J. K., & Yunus, K. (2018). Fish scales as a bioindicator of potential marine pollutants and carcinogens in Asian sea bass and red tilapia within the coastal waters of Pahang, Malaysia. *Journal of Coastal Research*, 82(SI), 120-125.
39. Nordin, N. F. H., Idris, S. N. N. B. M., Nawati, M. N. M., John, A., & Chowdhury, A. J. K. (2017). Pcb biodegradation using bacteria isolated from landfill leachate. *Science*, 1(2), 07-10.
40. Salleh, S. M., Nishizawa, H., Sah, S. A. M., & Chowdhury, A. J. K. (2020). Reproductive seasonality and environmental effects in green turtle (*Chelonia mydas*) nesting at Penang Island, Malaysia. *Journal of the Marine Biological Association of the United Kingdom*, 100(4), 645-650.
41. Kadharsha, K., Khan, S. A., Lyla, S., Mohanchander, P., & John, A. (2018). Checklist for commercially important food fishes of Parangipettai. *Journal CleanWAS*, 2(1), 16-19.
42. Jalal, K. C. A., Zaima Azira, Z. A., Nor Hafizah, Z., Rahman, M. M., Kamaruzzaman, B. Y., & Noor Faizul, H. N. (2014). Carotenoid contents in anoxygenic phototrophic purple bacteria, *Marichromatium* sp. and *Rhodopseudomonas* sp. of tropical aquatic environment, Malaysia.
43. Rahman, M. M., Awang, M. B., Jalal, K. C. A., Aisha, S., & Kamaruzzaman, B. Y. (2013). Study on toxic chemicals in Kuantan River during pre and post monsoon season.
44. Kamarudin, M. K. A., Abd Wahab, N., Samah, M. A. A., Baharim, N. B., Mostapa, R., Umar, R., ... & Bati, S. N. A. M. (2020). Potential of field turbidity measurements for computation of total suspended solid in Tasik Kenyir, Terengganu, Malaysia. *Desalination and Water Treatment*, 187, 11-16.
45. Kassim, Z., Yunus, K., Jaafar, I., Jalal, K., Nabilah Jaafar, I., Nordin, N. S., ... & John, A. B. (2015). Spatial distribution trend of plankton in Sungai Pulai Estuary, the straits of Johor, Malaysia. *Sains Malaysiana*, 44(9), 1257-1262.
46. Parven, M., Hossain, M. B., Rahman, M. F., Jalal, K. C. A., Jahan, N., & Amin, S. M. N. (2013). Limnological parameters affecting monthly abundance of chironomid larvae in a fish pond and their role in the diet of catfish, *Clarias batrachus*.

47. Jaswir, I., Osman, F., Khatib, A., & Chowdhury, A. J. K. (2009). Storage stability of fish oil from Langkawi Island, Malaysia. *Food Science and Technology Research*, 15(6), 591-598.
48. Chowdhury, A. J. K., Alam, M. Z., & Shahlizah, S. H. (2006, July). Isolation, purification and screening of fugal strain for effective bioconversion of palm oil mill effluent. In *Proceeding of the 1st international conference on natural resources engineering and technology*, Putrajaya.
49. Mustapha, S. N., John, A., Sheikh, H., Chowdhury, A. J. K., & Yunus, K. (2020). Acute-lethal toxicity test on juvenile *Oreochromis niloticus* exposed to Piper betle extract under static exposure. *Ecofeminism and Climate Change*, 1(2), 79-87.
50. Sheikh, H. I., Kamaruzzaman, B. Y., John, A. B., Zaleha, K., & Ichwan, S. J. (2019). Spermiogram of wild and captive malaysian horseshoe crab (*Tachypleus gigas*) from Pantai Balok, Kuantan, Pahang, Malaysia. *Sains Malaysiana*, 48(2), 325-328.
51. Hossain, M. B., Ahmed, S., Rahman, M. F., Kamaruzzaman, B. Y., Jalal, K. C. A., & Amin, S. M. N. (2013). Method development and validation of nitrofurantoin metabolites in shrimp by liquid chromatographic mass spectrometric system. *Journal of Biological Sciences*, 13(1), 33.
52. Chowdhury, A., Hazra, A. K., Mahajan, S. C., & Choudhury, J. (2007). Microbial communities of earthworm (*Perionyx excavatus* Perrier) gut, cast and adjacent Soil in two different fields of west Bengal. *Records of the Zoological Survey of India*, 101-113.
53. Salleh, S. M., Sah, S. A. M., & Chowdhury, A. J. K. (2022). The survival rate from splitting clutch design method for green turtle's relocated nest in Penang Island, Malaysia. *Tropical Life Sciences Research*, 33(3), 107.
54. Tosin, O. V., Mohamed, A. A., Ariffin, N. A., Chowdhury, A. J. K., & Bolong, A. M. A. (2022). Morphological variation between hatchery bred and wild caught *Anabas testudineus* in Malaysia. *Tropical Life Sciences Research*, 33(1), 201.
55. Ab Wahab, S. U. K., Samah, M. A. A., Sabuti, A. A., Yunus, K., Chowdhury, A. J. K., John, A., ... & Hamid, A. A. A. (2020). Environmental forensic study: tracing of pollution sources using environmetric technique in Balok and Tunggak Rivers near Gebeng industrial area, Kuantan, Pahang, Malaysia. *Desalination and Water Treatment*, 191, 118-125.
56. JOHN, A. (2017). Effect of differential feed on the molting success and survival of horseshoe crab trilobite (*Tachypleus gigas*).
57. Hoque, M. M., Motin, M. A., Maya, M., Sarkar, M. R., Islam, M. R., Chowdhury, M. T. H., & Chowdhury, A. J. K. (2014). Water quality and plankton composition of *Amblypharyngodon mola* monoculture fish pond in Bangladesh. *International Journal of Emerging Trends in Science and Technology*, 1(7), 1005-1014.
58. Ahmed, O. H., Ali, M., Abdullah, R., Chowdhury, A. J. K., Salleh, N. T., & Musah, A. A. (2022). Co-application of triple super phosphate and chicken litter biochar improves phosphorus availability of mineral tropical acid soils to reduce water pollution. *Desalination and Water Treatment*, 264, 40-53.

59. Azfar, A. M., Jalal, K. C. A., & Siti-Waznah, A. (2015). Food partitioning among fishes in Pahang river-estuary, Malaysia. *Jurnal Teknologi*, 77, 63-69.
60. Rahman, M. F., Jalal, K. C., Jahan, N., Kamaruzzaman, B. Y., Ara, R., & Arshad, A. (2012). Present status and approaches for the sustainable development of community based fish culture in seasonal floodplains of Bangladesh. *Pakistan Journal of Biological Sciences: PJBS*, 15(12), 551-567.
61. Jalal, K. C. A., Ambak, M. A., Abol, M. A. B., Hassan, T. H., & Alam, M. Z. (2005). Effect of feed additives on the development of proteolytic enzymes of the tropical sport fish Malaysian Mahseer (*Tor tambroides*-Bleeker) fry.
62. Yusofa, K. M. K. K., Jalalb, K. C. A., Abdullahe, S., Azidd, A., Sanie, M. S. A., Yunusb, K., & Ranih, N. L. A. (2021). Haze episodes: identification of air pollutants and meteorological factors in Borneo, Central, Eastern, Northern, and Southern regions of Malaysia. *Desalination and Water Treatment*, 219, 31-39.
63. Jalal, K. C. A. (2020, November). Mitigation strategies for the Covid-19 impacts on aquaculture in Malaysia. In *International Forum on Aquaculture for Silk Road Countries*, Jointly Organized by Food and Agriculture Organization of the United Nations, Network of Aquaculture Centers in Asia-Pacific Chinese Academy of Fishery Sciences Qingdao, China.
64. Abidin, Z. A. Z., Zolkefli, N., Shahari, R., & Chowdhury, A. J. K. (2020). Endophytic bacteria of *Anisophyllea disticha* (Raja Berangkat) from tropical lake environment in Malaysia. *Desalination and Water Treatment*, 188, 282-287.
65. Salleh, S. M., Sah, S. A. M., & Chowdhury, A. J. K. (2019). Temperature Influence on Emergence Success and Swimming Speed for In-Situ Nesting for *Chelonia mydas* in Penang Island, Malaysia. *Tropical Life Sciences Research*, 30(3), 111.
66. Han, L., Shang, T., Shu, J., & Khan Chowdhury, A. J. (2018). Time series data intelligent clustering algorithm for landslide displacement prediction. *Journal of Intelligent & Fuzzy Systems*, 35(4), 4131-4140.
67. Ashraf, M. A., & Aqma, W. S. (Eds.). (2017). *Environmental Conservation, Clean Water, Air & Soil (CleanWAS)*. Iwa Publishing.
68. Shahbudin, S., Hafiz, Z. H., John, B. A., Kamaruzzaman, B. Y., & Jalal, K. C. A. (2011). Distribution and Diversity of Corals on Artificial Reefs at Pasir Akar and Teluk Kalong, Redang Island, Malaysia. *Journal of Applied Sciences*, 11(2), 379-383.
69. Chowdhury, A., Hazra, A. K., & Nandi, A. P. (2010). New record of the earthworm *Drawida papillifer papillifer* Stephenson from West Bengal, India. *Journal of Threatened Taxa*, 2(2), 716-717.