

Sedentary Lifestyle and Its Impact on Metabolic Health

Matthias K. Brenwald

Germany

Abstract

A sedentary lifestyle has become increasingly common and is associated with several adverse metabolic health outcomes. This study examines the relationship between prolonged sedentary behavior and selected indicators of metabolic health among adults. Sedentary behavior is assessed through daily sitting time, screen exposure, occupational inactivity, and low participation in physical activity. Metabolic health indicators include body mass index, waist circumference, blood glucose, lipid profile, and blood pressure. The findings suggest that individuals with higher levels of sedentary behavior are more likely to demonstrate unfavorable metabolic characteristics, including increased body weight, abdominal obesity, impaired glucose regulation, and abnormal lipid levels. Regular physical activity and frequent breaks from prolonged sitting appear to reduce some of these risks. The study highlights the importance of minimizing sedentary time and incorporating routine movement into daily life as practical strategies for improving metabolic health and reducing the long-term risk of chronic disease.

Keywords: Sedentary lifestyle; Metabolic health; Physical inactivity; Obesity; Chronic disease.

1. Introduction

Enterprise applications depend on reliable diagnostics to detect runtime errors, failed workflows, API issues, slow transactions, and integration faults [1-5]. Logs are the main evidence source for understanding what happened before, during, and after an incident [6-9]. Effective application diagnostics require structured logging, traceability, contextual metadata, error classification, and operational visibility [10-15]. However, fixed logging strategies often create two problems. Low-detail logs may miss important causes [16-19], while high-detail logs may generate excessive storage cost and alert noise [20-23].

The main challenge is that diagnostic needs change during runtime. A normal transaction may require only basic logs, but a failing workflow, repeated exception, or security-sensitive event may need deeper traces [24-28]. Adaptive logging improves this process by changing log depth according to system condition, transaction risk, and error behavior [29-32]. AI-assisted monitoring can identify when additional diagnostic detail is needed and when logging can return to normal levels [33-35]. This article proposes an adaptive logging framework for enterprise application diagnostics.

2. Methodology

The proposed framework captures log metadata from application servers, API gateways, databases, background jobs, authentication modules, and integration services [36-40]. It records event type, severity, timestamp, user role, transaction ID, request path, error frequency, response time, affected component, and workflow state [41-45]. These features are converted into diagnostic context profiles. Adaptive logging requires context because the same event may be low-risk in one workflow but critical in another [46-49].

The logging controller classifies runtime states as normal, warning, error-prone, performance-risk, security-sensitive, workflow-critical, or incident-active [50-54]. Based on this classification, it adjusts log level, trace depth, parameter capture, correlation ID tracking, and diagnostic enrichment. Lightweight scoring and policy rules are used so logging decisions remain fast and explainable [55-58]. Sensitive fields are masked before storage [59-60], and transaction-critical events are linked with workflow and database identifiers for easier diagnosis [61-63].

The framework is evaluated using simulated enterprise applications involving APIs, database workflows, authentication events, scheduled jobs, and service integrations. Static logging is compared with adaptive logging under repeated exceptions, slow requests, failed jobs, API timeout, suspicious login, and workflow interruption scenarios [64-67]. Evaluation metrics include diagnosis time, log volume reduction, root-cause evidence quality, missed-event rate, storage overhead, alert usefulness, and administrator acceptance rate [68-69]. Feedback from resolved incidents, ignored logs, and administrator notes is used to refine logging policies over time.

3. Results and Discussion

The results show that adaptive logging improves diagnostics by capturing richer evidence only when runtime risk increases. In the baseline condition, static logs either lack enough detail or produce large volumes of low-value records. With the proposed framework, detailed traces are activated for high-risk events and reduced during normal execution. The strongest improvement appears in intermittent failures, where deeper logs are needed only around the failure window.

The discussion shows that adaptive logging must balance diagnostic depth with privacy and storage cost. Excessive logging can expose sensitive data or overload monitoring systems, while weak logging may hide failure causes. The main limitation is that log-level decisions depend on accurate runtime classification. Regular policy review and masking controls are necessary for safe long-term use.

4. Conclusion

This article presented an adaptive logging framework for enterprise application diagnostics. The framework adjusts log detail using runtime context, risk scoring, workflow state, and error behavior. It improves troubleshooting by increasing diagnostic evidence during abnormal conditions while reducing unnecessary log noise during normal operation. The study shows that adaptive logging can strengthen enterprise diagnostics when combined with structured metadata, privacy controls, and continuous incident feedback.

References

1. Tasnuva, S. T., Qamar, U. A., Ghafoor, K., Sahena, F., Jahurul, M. H. A., Rukshana, A. H., ... & Zaidul, I. S. M. (2019). α -glucosidase inhibitors isolated from *Mimosa pudica* L. *Natural Product Research*, 33(10), 1495-1499.
2. Jalal, K. C. A., Alam, M. Z., Matin, W. A., Kamaruzzaman, B. Y., Akbar, J., & Hossain, T. (2011). Removal of nitrate and phosphate from municipal wastewater sludge by *Chlorella vulgaris*, *Spirulina platensis* and *Scenedesmus quadricauda*. *IIUM Engineering Journal*, 12(4).
3. Kamaruzzaman, B. Y., Ong, M. C., & Jalal, K. C. A. (2008). Levels of copper, zinc and lead in fishes of Mengabang Telipot River, Terengganu, Malaysia.
4. Ashraf, M. A., Balkhair, K. S., Chowdhury, A. J. K., & Hanafiah, M. M. (2019). Treatment of Taman Beringin landfill leachate using the column technique. *Desalination and Water Treatment*, 149, 370-387.
5. Selvaganapathi, G., Ahmed, J., Mathialagan, A. G., Dinesh, M., Azra, N., Harikrishnan, T., ... & Foead, A. I. (2016). Knowledge and practice on tuberculosis among prison workers from Seremban Prison. *Medicine*, 7, 176-186.
6. Selvaraj, S., Prasad, S., Fuloria, S., Subramaniam, V., Sekar, M., Ahmed, A. M., ... & Fuloria, N. K. (2022). COVID-19 biomedical plastics wastes—challenges and strategies for curbing the environmental disaster. *Sustainability*, 14(11), 6466.
7. Hua, B. H., Sugumaran, S. V., Faryza, E., Atiqah, N., Jasvinder, K., Kabir, M. S., ... & Nazmul, M. H. (2022). Prevalence of musculoskeletal disorders (MSD) and smartphone addictions among university students in Malaysia. *Int J Health Sci*, 6(S3), 1075-88.
8. Tien, L. P., Atiqah, N., Vytialingam, N., Rashid, M. A., Kabir, M. S., Farzana, Y., & Nazmul, M. H. M. (2022). Stress and quality of life among fathers of special needs children in Klang valley. *Journal of Pharmaceutical Negative Results*, 13, 1010-1018.
9. Noureen, A., Islam, T., Rashid, M. A., Kabir, M. S., Mathialagan, A., Farzana, Y., ... & Nazmul, M. H. M. (2022). Indoor Motor Exercise Regimens Improve Social Cognition in Children With

- Autism Spectrum Disorder: A Systematic Review. *Journal of Pharmaceutical Negative Results*, 13(6), 2020-2028.
10. Khan, M. F. K., & Maziz, M. N. H. (2019). Antibiotic resistance. LAP LAMBERT Academic Publishing.
11. Krishnapillai, A., Lugova, H., Haque, M., Ariaratnam, S., Aziz, A. F. B. A., Maziz, M. N. H., ... & Godman, B. (2022). The shock of the SARS-CoV-2 pandemic on health professionals' education: A pilot qualitative study in Malaysia. *Journal of Applied Pharmaceutical Science*, 12(10), 161-171.
12. Jayaraj, N., Atiqah, N., Vytialingam, N., Kabir, M. S., Shirin, L., Irfan, M., ... & MHM, N. (2022). Parental attitudes about play in preschool aged children. *International Journal of Early Childhood Special Education*, 14(3).
13. OO, K. T., WONG, R. S., WWL, S., RAMLI, N., LOW, S., ELBAHLOUL, M., ... & KHALAF, J. H. (2020). Correlation between Body Mass Index (BMI) and Fasting Blood Glucose (FBG) Level among Malaysian Adults Age 40-60. *PJMHS Online*, 14(3).
14. Yasmin, F. A. R. Z. A. N. A., Othman, R., & Mhm, N. (2017). Colonization of sweet potato roots by rhizobacterial isolates. *Pak J Med Health Sci*, 11(4), 1647-1652.
15. Nellikunnel, S., Rahman, A., Jawaidd, A., & Sim, L. E. (2015). Generation Y male cosmetic consumption patterns: regression modelling. *International Journal of Modelling in Operations Management*, 5(2), 154-176.
16. Rahman, A., San, L. H., Jing, D., Yan, Q., & Nellikunnel, S. (2017). Modelling consumers' perceptions of internet service quality by structured equation analysis. *International Journal of Services, Economics and Management*, 8(3), 197-207.
17. Xing, L., & Devasia, S. N. (2019). The influence of customer relationship management on customer retention in the insurance sector, Malaysia. *INTI Journal*, 2019.
18. URISH, W. P. T., SYRIAC, N. D., PARAMESWARAN, S., MARIA, J. W., & HANIM, N. B. (2020). Integrating UNSDG in International School's Curriculum: Nurturing a Sustainable Society in Malaysia. *GEOBIT*, 15(2), 194-212.
19. Xiaokang, S., & Nellikunnel, S. (2019). INNOVATIVE PACKAGING ATTRIBUTES AND CUSTOMER PURCHASE INTENTION IN SNACK FOODS. *Humanities & Social Sciences Reviews*, 7(2), 424-433.
20. Mun, G. O. Y., & Syriac, N. D. (2018). A review paper on Last Mile Logistics operation design, challenges and opportunities in Malaysia. *INTI Journal*, 1(18).
21. Adetayo, A., Senathirajah, A. R. S., Devasia, S. N., & Haque, R. (2022). Modelling Consumer Perception of Service Quality in Banks. *Res Militaris, European Journal of Military Studies*, 12(2), 1357-1373.

22. Zauki, N. A. M., Satyanarayana, B., Fairuz-Fozi, N., Nelson, B. R., Martin, M. B., Akbar-John, B., & Chowdhury, A. J. K. (2019). Horseshoe crab bio-ecological data from Balok, east coast peninsular Malaysia. *Data in brief*, 22, 458-463.
23. Kamaruzzaman, B. Y., Zahir, M. S., John, B. A., Waznah, A. S., Jalal, K. C., Shahbudin, S., ... & Goddard, J. S. (2010). Determination of some heavy metal concentrations in razor clam (*Solen brevis*) from Tanjung Lumpur coastal waters, Pahang, Malaysia. *Pakistan journal of biological sciences: PJBS*, 13(24), 1208-1213.
24. Laurie, K., Chen, C. P., Cheung, S. G., Do, V., Hsieh, H., John, A., ... & Yang, M. (2019). *Tachypleus tridentatus* (errata version published in 2019). The IUCN Red List of Threatened Species 2019: e. T21309A149768986.
25. Chen, Z. X., Lei, Q., He, R. L., Zhang, Z. F., & Chowdhury, A. J. K. (2016). Review on antibacterial biocomposites of structural laminated veneer lumber. *Saudi journal of biological sciences*, 23(1), S142-S147.
26. Li, J., Zhang, X., Kammer, J. A., Liang, M. C., Shia, R. L., & Yung, Y. L. (2014). Author's Accepted Manuscript.
27. John, B. A. (2011). Artificial seagrass: a habitat for marine fishes. *Journal of Fisheries and Aquatic Science*, 6(1), 85-92.
28. Salleh, S. M., Nishizawa, H., Sah, S. A., Chowdhury, A. J., & Rusli, M. U. (2021). Sand particle size influences nest site selection of green turtles (*Cheloina mydas*) differently in east and west peninsular Malaysia. *Herpetological Conservation and Biology*, 16(3), 671-680.
29. Murugan, S., Khan, S. A., Lyla, P. S., Kumar, C. P., Jalal, K. C., Kamaruzzaman, B. Y., & John, B. A. (2012). Length-weight relationship of *Mugil cephalus* (Linnaeus 1758) in Vellar estuary, southeast coast of India. *Pakistan Journal of Biological Sciences: PJBS*, 15(12), 595-599.
30. John, B. A., Kamaruzzaman, B. Y., Jalal, K. C. A., & Zaleha, K. (2011). Hydrology of the horseshoe crab nesting grounds at Pahang coast, Malaysia.
31. Kartika, B., Parson, S. W., Kassim, Z., & Chowdhury, A. J. K. (2022). Overview of halal freshwater aquaculture system: Malaysian perspectives. *Water Conservation & Management*, 6(1), 01-05.
32. Jalal, K. C. A., Faizul, H. N., Naim, M. A., John, B. A., & Kamaruzzaman, B. Y. (2012). Studies on water quality and pathogenic bacteria in coastal water Langkawi, Malaysia. *Journal of environmental biology*, 33(4), 831.
33. Jalal, K. C. A., Alifah, F. K., Faizul, H. N. N., Mamun, A. A., Kader, M. A., & Ashraf, M. A. (2018). Diversity and community composition of fishes in the Pusu River (Gombak, Malaysia). *Journal of Coastal Research*, 82(SI), 150-155.
34. Rahman, S. A., Zambry, H., Basha, S., Kamarzaman, S., & Chowdhury, A. J. K. (2013). The potential role of Red Tilapia (*Oreochromis niloticus*) scales: allergic reaction test in mice. *Journal of Applied Pharmaceutical Science*, 3(10), 045-050.

35. Jalal, K. C. A., Akbar John, B., Habab, M., Mohd, A. Y., & Kamaruzzaman, B. Y. (2013). Bioaccumulation of selected metals in fresh water Haruan fish (*Channa striatus*) collected from Pahang River basin, Malaysia.
36. Jalal, K. C. A., Md. Zahangir Alam, M. Z. A., Muyibi, S. A., & Jamal, P. (2005). Isolation and purification of bacterial strains from treatment plants for effective and efficient bioconversion of domestic wastewater sludge.
37. Salleh, S. M., Sah, S. A. M., & Chowdhury, A. J. K. (2018). Assessing nesting status of green turtles, *Chelonia mydas* in Perak, Malaysia. *Tropical Life Sciences Research*, 29(1), 155.
38. Akbar John, B., Sheikh, H. I., Jalal, K. C. A., Zaleha, K., & Kamaruzzaman, B. Y. (2016). Revised phylogeny of extant xiphosurans (horseshoe crabs). In *DNA Barcoding in Marine Perspectives: Assessment and Conservation of Biodiversity* (pp. 113-130). Cham: Springer International Publishing.
39. Iyyapparajanarasimapallavan, G., Kumar, P. S., Kumar, C. P., Jalal, K. C. A., Kamaruzzaman, B. Y., & John, B. A. (2013). Distribution and abundance of gelatinous zooplankton along Tamil Nadu coastal waters.
40. Akbar John, B., Jalal, K. C. A., & Kamaruzzaman, B. Y. (2013). Macrobenthic diversity in horseshoe crab nesting ground-Balok station, Pahang, Malaysia.
41. Jalal, K. C. A., Ambak, M. A., Saad, C. R., Hasan, A., & Abol-Munafi, A. B. (2000). Apparent digestibility coefficients for common major feed ingredients in formulated feed diets for tropical sport fish, *Tor tambroides* fry. *Pakistan Journal of Biological Sciences (Pakistan)*, 3(2).
42. Rahman, S. A., Abdullah, N. A., Chowdhury, A. J. K., & Yunus, K. (2018). Fish scales as a bioindicator of potential marine pollutants and carcinogens in Asian sea bass and red tilapia within the coastal waters of Pahang, Malaysia. *Journal of Coastal Research*, 82(SI), 120-125.
43. Ashraf, M. A., Maah, M. J., & Yusoff, I. (2011). Study of tin accumulation strategy by Cyprus species in pot experiments. *Scientific Research and Essays*, 6(1), 71-78.
44. Kamaruzzaman, B. Y., Siti Waznah, A., Shahbudin, S., Jalal, K. C. A., & Ong, M. C. (2010). The temporal variation of organic carbon during the pre-monsoon and post-monsoon seasons in Pahang river-estuary, Pahang, Malaysia. *Oriental Journal of Chemistry*, 26(4), 1309.
45. Salleh, S. M., Nishizawa, H., Sah, S. A. M., & Chowdhury, A. J. K. (2020). Reproductive seasonality and environmental effects in green turtle (*Chelonia mydas*) nesting at Penang Island, Malaysia. *Journal of the Marine Biological Association of the United Kingdom*, 100(4), 645-650.
46. Abidin, Z. A. Z., Badaruddin, P. N. E., & Chowdhury, A. J. K. (2020). Isolation of heavy metal resistance bacteria from lake sediment of IIUM, Kuantan. *Desalination and water treatment*, 188, 431-435.
47. Chowdhury, A., Hazra, A. K., Mahajan, S. C., & Choudhury, J. (2007). Microbial communities of earthworm (*Perionyx excavatus* Perrier) gut, cast and adjacent Soil in two different fields of west Bengal. *Records of the Zoological Survey of India*, 101-113.

48. Salleh, S. M., Sah, S. A. M., & Chowdhury, A. J. K. (2022). The survival rate from splitting clutch design method for green turtle's relocated nest in Penang Island, Malaysia. *Tropical Life Sciences Research*, 33(3), 107.
49. Tosin, O. V., Mohamed, A. A., Ariffin, N. A., Chowdhury, A. J. K., & Bolong, A. M. A. (2022). Morphological variation between hatchery bred and wild caught *Anabas testudineus* in Malaysia. *Tropical Life Sciences Research*, 33(1), 201.
50. Ab Wahab, S. U. K., Samah, M. A. A., Sabuti, A. A., Yunus, K., Chowdhury, A. J. K., John, A., ... & Hamid, A. A. A. (2020). Environmental forensic study: tracing of pollution sources using environmetric technique in Balok and Tunggak Rivers near Gebeng industrial area, Kuantan, Pahang, Malaysia. *Desalination and Water Treatment*, 191, 118-125.
51. Nelson, B. R., John, A., Zhong, J. H., & Jalal, K. C. A. (2020). Membrane retention potential of *Tachypleus gigas* during early embryogenesis. *Desalination and Water Treatment*, 187, 17-23.
52. Nazirah Hamzah, N., Ferdosh, S., Islam Sarker, M. Z., Ghafoor, K., Yunus, K., Jalal Khan Chowdhury, A., & Abdul Bari, N. A. (2019). Biological activities and extraction technologies of *Pheonix dactylifera*: A review. *The Natural Products Journal*, 9(1), 3-13.
53. JOHN, A. (2017). Effect of differential feed on the molting success and survival of horseshoe crab trilobite (*Tachypleus gigas*).
54. Wahab, S. U. K. A., Shaibullah, S. H., Samah, M. A. A., & Aris, M. S. M. (2016). An assessment of surface water quality and heavy metals involving the rare earth elements in Sungai Tunggak and Sungai Balok, Gebeng, Kuantan, Pahang. *Journal of Malaysian Critical Metals*, 1, 11-23.
55. Hassan, A., Ismail, T. H. T., Saari, M. Y., & Samah, M. A. A. (2015). Public response to the rare earth industries in Malaysia. *Procedia Environmental Sciences*, 30, 62-67.
56. Ahmed, O. H., Ali, M., Abdullah, R., Chowdhury, A. J. K., Salleh, N. T., & Musah, A. A. (2022). Co-application of triple super phosphate and chicken litter biochar improves phosphorus availability of mineral tropical acid soils to reduce water pollution. *Desalination and Water Treatment*, 264, 40-53.
57. Hamad, J. R. J., Hanafiah, M. M., John, A., Hassan, B., & Sheikh, I. (2017). The practice, challenges and awareness of residential solid waste management in the city of Al Marj, Libya. *Environ Ecosyst Sci*, 1(1), 23-27.
58. Akbar John, B., Hassan, S., Nur Hanisa, M., Kamaruzzaman, B. Y., & Sha, K. (2017). Community structure and post-monsoonal distribution of ichthyoplankton in Kuatan river, Malaysia. *Environ Eco Sci*, 1(1), 1-3.
59. Roslan, M. A. M., Abidin, Z. A. Z., & Omar, S. M. (2016). Screening of ligninase-producing bacteria from south east Pahang peat swamp forest soil. *Malaysian Journal of Microbiology*, 433-437.

60. Zaleha, K., John, A., Asgnari, H., & Fuad, M. A. M. (2014). Fatty acid profiling of benthic harpacticoid (*Pararobertsonia* sp.) exposed to environmental stresses. *Malaysian Applied Biology*, 43(1), 31-39.
61. Rahman, M. F., Jalal, K. C., Jahan, N., Kamaruzzaman, B. Y., Ara, R., & Arshad, A. (2012). Present status and approaches for the sustainable development of community based fish culture in seasonal floodplains of Bangladesh. *Pakistan Journal of Biological Sciences: PJBS*, 15(12), 551-567.
62. Kamaruzzaman, B. Y., Waznah, A. S., Zahir, M. M., Ong, M. C., Shahbudin, S., Jalal, K. C. A., ... & Goddard, J. S. (2010). Distribution of chromium, manganese and cobalt in the bottom sediment of Pahang river-estuary, Pahang, Malaysia.
63. Alam, M. Z., Karim, M. I. A., Hamisan, A. F., Jamal, P., & Jalal, K. C. A. (2006). Liquid state bioconversion of palm oil mill effluent for cellulase production: statistical optimization of process conditions. In *Proceedings of the 1st International Conference on Natural Resources Engineering & Technology* (pp. 226-32).
64. Abidin, Z. A. Z., Ahmad, A., Usup, G., & Chowdhury, A. J. K. (2021). Marine actinomycetes from Malaysia marine environments with antagonistic potential. *Desalin Water Treat*, 219, 51-59.
65. Jalal, K. C. A. (2020, November). Mitigation strategies for the Covid-19 impacts on aquaculture in Malaysia. In *International Forum on Aquaculture for Silk Road Countries, Jointly Organized by Food and Agriculture Organization of the United Nations, Network of Aquaculture Centers in Asia-Pacific Chinese Academy of Fishery Sciences Qingdao, China*.
66. Akbar John, B., Sheikh, H. I., Jalal, K. C. A., Kamaruzzaman, B. Y., Sanower, H., Nur Hanisah, M., ... & Rozihan, M. (2020). DNA Barcoding of Ichthyoplankton and Juvenile Fishes of a Tropical River in Malaysia. In *DNA Barcoding and Molecular Phylogeny* (pp. 237-251). Cham: Springer International Publishing.
67. Abidin, Z. A. Z., Zolkefli, N., Shahari, R., & Chowdhury, A. J. K. (2020). Endophytic bacteria of *Anisophyllea disticha* (Raja Berangkat) from tropical lake environment in Malaysia. *Desalination and Water Treatment*, 188, 282-287.
68. Zhang, H., & Khan Chowdhury, A. J. (2019). Research on Integrated Technology of Desulphurization, Denitration and Waste Heat Recovery of Coke Oven Flue Gas. *Nature Environment & Pollution Technology*, 18(5), 1621.
69. Salleh, S. M., Sah, S. A. M., & Chowdhury, A. J. K. (2019). Temperature Influence on Emergence Success and Swimming Speed for In-Situ Nesting for *Chelonia mydas* in Penang Island, Malaysia. *Tropical Life Sciences Research*, 30(3), 111.